



Title			TU-1500RD CPU, PLL and RDS
Size	Document Number	Rev	
A3	(Doc)	0.1	
Date:	Friday, April 28, 2000	Sheet	1 of 1

1964-06-25




NB pin numbers shown as seen from rear!  
From the front, pin 1 is on the left, by convention.

- CX091
- 1 VFL
  - 2 VCCD
  - 3 VFD/RES
  - 4 VFD/CE
  - 5 VFD/CLK
  - 6 VFD-DATA
  - 7 FILAMENT 2
  - 8 FILAMENT 1
  - 9



Title		
TU-1500RD VFD SECTION		
Size	Document Number	Rev
A3	(Doc)	(RevCode)
Date:	Friday, April 28, 2000	Sheet 1 of 1

1964-06-25



- CX071
- 1 ROT PHASE B
  - 2 ROT PHASE A
  - 3 SENSOR 1
  - 4 KBD ROW 4
  - 5 KBD ROW 3
  - 6 KBD ROW 2
  - 7 KBD ROW 1
- CX071

OHMS:  
 0 = SEARCH  
 200 = RT  
 500 = PTY  
 1100 = TA  
 2100 = IF BAND  
 2000 = ON / OFF


- CX091
- 1 VFL
  - 2 GND
  - 3 VCCD
  - 4 VFD /RES
  - 5 VFD CE
  - 6 VFD CLK
  - 7 VFD-DATA
  - 8 FILAMENT 2
  - 9 FILAMENT 1
- CX091

200 /1200 = 0.167 ~11/64  
 500 /1700 = 0.294 ~ 19 / 64  
 1100/2200 = 0.500 = 32 / 64  
 2200/3200 = 0.688 ~ 44 / 64  
 5200/6200 = 0.839 ~ 53 / 64

SHAFT ENCODER BODY IS STRAPPED TO CHASSIS

Title		
TU-1500RD KEYBOARD ROTOR AND IR SENSOR		
Size	Document Number	Rev
A3	(Doc)	0.0
Date:	Friday, April 28, 2000	Sheet 1 of 1

1964-06-25



Title (Title)		
Size A3	Document Number (Doc)	Rev (RevCode)
Date: Friday, April 28, 2000	Sheet 1	of 1

1964-06-25