


 Coupons

Product Detail



Gerber file:	splitter_V1_Y26	Build Time:	2 days
Base Material:	FR-4	Layers:	2
Dimension:	60 mm* 50 mm	PCB Qty:	10
Product Type:	Industrial/Consumer electronics	Different Design:	1
Delivery Format:	Single PCB	PCB Thickness:	1mm
Specify Stackup:	no	Layer Sequence:	
PCB Color:	Green	Silkscreen:	White
Material Type:	FR4 TG135	Via Covering:	Tented
Surface Finish:	HASL(with lead)	Deburring/Edge rounding:	No
Outer Copper Weight:	1 oz	Gold Fingers:	No
Electrical Test:	Flying Probe Fully Test	Castellated Holes:	no
Edge Plating:	No	Mark on PCB	Remove Mark
Blind Slot:	No	Min via hole size/diameter:	0.3mm/(0.4/0.45mm)
Via Plating Method:	Not Specified	4-Wire Kelvin Test:	No
Paper between PCBs:	No	Appearance Quality:	IPC Class 2 Standard
Confirm Production file:	No	Silkscreen Technology:	Ink-jet/Screen Printing Silkscreen
Package Box:	With JLCPCB logo	Inspection Report:	No
Board Outline Tolerance:	±0.2mm(Regular)	UL Marking:	No
Countersink Hole:	No		



Customs duties & taxes: [Shipment Tracking](#) 

\$19.09

Order Total: \$95.42

[Invoice](#)

[Write a Review](#)

[Show All](#)

2026-02-20 23:52:36 W2026022106522318 PCB

[+ Add new item](#)



Merchandise Total: €0.00  Order Cancelled [Order Details](#)

Shipping Charge: €0.00

Order Total: €0.00

[Show All](#)

2026-01-17 23:47:34 W2026011806477807 PCB

Merchandise Total: \$43.20  Shipped

Shipping Charge: \$28.73

Customs duties & taxes: [Shipment Tracking](#) 

FedEx International Priority

 [Order Details](#)

[Invoice](#)



support
Account Manager

support@jlcpcb.com

[Live Chat](#)

Mon-Fri: 24 hours, Sat:
9am-6pm, GMT+8



Product Detail

Gerber file:	splitter_V1_Y26	Build Time:	2 days
Base Material:	FR-4	Layers:	2
Dimension:	60 mm* 50 mm	PCB Qty:	10
Product Type:	Industrial/Consumer electronics	Different Design:	1
Delivery Format:	Single PCB	PCB Thickness:	1mm
Specify Stackup:	no	Layer Sequence:	
PCB Color:	Green	Silkscreen:	White
Material Type:	FR4 TG135	Via Covering:	Tented
Surface Finish:	HASL(with lead)	Deburring/Edge rounding:	No
Outer Copper Weight:	1 oz	Gold Fingers:	No
Electrical Test:	Flying Probe Fully Test	Castellated Holes:	no
Edge Plating:	No	Mark on PCB	Remove Mark
Blind Slot:	No	Min via hole size/diameter:	0.3mm/(0.4/0.45mm)
Via Plating Method:	Not Specified	4-Wire Kelvin Test:	No
Paper between PCBs:	No	Appearance Quality:	IPC Class 2 Standard
Confirm Production file:	No	Silkscreen Technology:	Ink-jet/Screen Printing Silkscreen
Package Box:	With JLCPCB logo	Inspection Report:	No
Board Outline Tolerance:	±0.2mm(Regular)	UL Marking:	No
Countersink Hole:	No		



support
Account Manager

support@jlcpcb.com

Live Chat

Mon-Fri: 24 hours, Sat:
9am-6pm, GMT+8



Product Detail

Gerber file:	splitter_V1_Y26	Build Time:	2 days
Base Material:	FR-4	Layers:	2
Dimension:	60 mm* 50 mm	PCB Qty:	10
Product Type:	Industrial/Consumer electronics	Different Design:	1
Delivery Format:	Single PCB	PCB Thickness:	1mm
Specify Stackup:	no	Layer Sequence:	
PCB Color:	Green	Silkscreen:	White
Material Type:	FR4 TG135	Via Covering:	Tented
Surface Finish:	HASL(with lead)	Deburring/Edge rounding:	No
Outer Copper Weight:	1 oz	Gold Fingers:	No
Electrical Test:	Flying Probe Fully Test	Castellated Holes:	no
Edge Plating:	No	Mark on PCB	Remove Mark
Blind Slot:	No	Min via hole size/diameter:	0.3mm/(0.4/0.45mm)
Via Plating Method:	Not Specified	4-Wire Kelvin Test:	No
Paper between PCBs:	No	Appearance Quality:	IPC Class 2 Standard
Confirm Production file:	No	Silkscreen Technology:	Ink-jet/Screen Printing Silkscreen
Package Box:	With JLCPCB logo	Inspection Report:	No
Board Outline Tolerance:	±0.2mm(Regular)	UL Marking:	No
Countersink Hole:	No		



support
Account Manager

support@jlcpcb.com

Live Chat

Mon-Fri: 24 hours, Sat:
9am-6pm, GMT+8

